Drug Court Practitioner - H J - C

Six Steps to Improve Your Drug Court Outcomes for Adults with Co-Occurring Disorders

By Henry J. Steadman, Roger H. Peters, Christine Carpenter, Kim T. Mueser, Norma D. Jaeger, Richard B. Gordor Carol Fisler, Stephen Goss, Eric Olson, Fred C. Osher, Chanson D. Noether, and Carolyn Hardin.

One of the biggest challenges for drug courts is effectively working with participants with co-occurring disorders. By de nition, persons with the dual diagnosis of both substance use disorders and mental illnesses have co-occurring disorders. All mental disorders, such as schizophrenia, bipolar disorder, posttraumatic stress disorder (PTSD), or severe depression, increase the chances of having a drug- or alcohol-use disorder, leading to a co-occurring disorder (Kessler et al., 2005; Grant et al., 2004). While some people with profound impairments related to their mental illnesses will be inappropriately referred to adult drug courts and need other options, these participants will be a small minority of persons with mental illnesses (Kessler et al., 1996). The National Drug Court Institute and Substance Abuse and Mental Health Services Administration's (SAMHSA's) GAINS Center believe that every adult drug court can achieve positive outcomes for persons with co-occurring disorders— if the

Treatment Court Models

Flexibility

Adult treatment courts generally comprise threeNo matter which type of court you have, the main types: drug courts, mental health courts, key to treating participants with co-occurring and co-occurring courts. Drug courts are the most disorders is flexibility. People with difficulty abundant and standardized because of federathinking, concentrating, or controlling emotions funding and regulation. Mental health courts and are not able to successfully participate in standard co-occurring courts are alternatives to incarceration therapeutic groups or 12-step programs (Mueser and are more varied as a result of evolving al., 2003). However, remaining flexible and independently in their jurisdictions. Table 1 on using individualized criteria does not mean the page 2 highlights some major differences betweeparticipant faces no rules or expectations for change. Courts might need to apply a different paradigm to



O

participants with co-occurring disorders to achieve best outcomes, revisiting standardized responses to participant failures.

Overlapping Populations

Persons with co-occurring mental illnesses and substance use disorders are in all three types of adult treatment courts. Best estimates are that 30%–40% of current drug court participants have diagnosable mental illnesses, 75%–80% of mental health court enrollees have substance use disorders, and, by de nition, all co-occurring court participants have both disorders (Blenko, 2001; Almquist & Dodd, 2009). All of these courts share the goal of reducing the unnecessary penetration into the criminal justice system of persons with mental illnesses, substance use disorders, or both

substance use disorders, (3) theverity of mental and The most common consequences of exposure to signi cant substance use disorders, including the degree of function trauma are acute stress disorders, and adjustment disorders. Another consequence of significant trauma impairment, (4) criminal justicbistoryand risk for criminal recidivism, and (5) prior involvement behavioral health is PTSD, a disorder characterized by symptoms such treatment services. Few persons with co-occurring disorders reexperiencing the traumatic event (e.g., intense or in the criminal justice system (Chandler et al., 2004).

Persons in the criminal justice system have rates

Rates of Co-Occurring Disorders in the Criminal Justice System

2009) found that 17% of males and 34% of females have cluding dropout from treatment, relapse of substance either a major depressive disorder, a bipolar disorder, abuse or mental heal/MCnts schizophrenic spectrum disorder, or PTSD. Among prisoners in substance abuse treatment programs, one-third were found to have either a major mood disorder (e.g., bipolar disorder, depression) and 3% were found to have psychotic disorders (Grella et al., 2008). From 70%-74% of persons in the justice system who have mental disorders also have co-occurring substance use disorders (Baillargeon et al., 2010; James & Glaze, 2006). Many others in the criminal justice system have less serious, mental disorders, including approximately 25% who have anxiety disorders (Grella et al., 2008; Zlotnick et al., 2008). Extrapolating from these studies, approximately 12% of males and 24% of females

Trauma and Mental Illness

People with co-occurring disorders are much more likely than the general population to be exposed to a range of traumatic events (such as physical or sexual abuse, the unexpected loss of a loved one, or witnessing violence) both before and after the onset of their disorders. Individuals who have been traumatized as children or adolescents are at increased vulnerability to subsequent retraumatization, which can destabilize both psychiatric and substance use disorders. Therefore courts must have an understanding of the effect of trauma on participants with co-occurring disorders to properly address treatment needs and avoid inadvertent retraumatization.

in the criminal justice system have co-occurring disorders.

have received specialized (i.e., integrated) behavioral heammemories, ashbacks, nightmares), avoidance of traumaservices either in the general community (SAMHSA, 2009) plated stimuli (e.g., avoidance of people, places, or things that remind them of traumatic events), and physiological overarousal (e.g., exaggerated startle response, increased heart rate and perspiration, anger). PTSD is common in people with a serious mental illness, an addiction, or co-occurring disorders. Most estimates of current PTSD Within the co-occurring disorders population range between mental, substance use, and co-occurring disorders that 0%-40% compared with the lifetime prevalence of PTSD greatly exceed those found in the general population. For the general population of 10%. Untreated PTSD can lead example, a recent study conducted in jails (Steadman et alo worse outcomes for people with co-occurring disorders,

will require specialized interventions such as integrated cognitive-behavioral treatment, co-occurring disorders tracks or groups, adaptations to status hearings, and speci cally trained supervision teams (Peters et al., 2012).

Participants with co-occurring disorders may have specialized needs that interfere with their engagement at court. Your drug court might have to address not only the more obvious need for treatment of mental disorders such as PTSD, but also more mundane needs such as better literacy skills, housing, medical care, and transportation.

The court should also consider the criminal history of the participant and the nature and severity of the current charge. A violent history or offense is subject to scrutiny before admission but should not be an automatic disquali er.





Ucomprehensive history of substance use disorders and treatment services, including types of drugs used, frequency of use, major consequences of use, response to treatment, and substance abuse by family members and peers

Ulteraction between mental and substance use disorders, including patterns of mental health symptoms during periods of abstinence and relapse precursors involving both mental and substance use disorders

Uffinctional assessment to describe the role that substance use plays in the person's life and factors that would interfere with achieving abstinence and other recovery goals

Underprehensive examination of functional impairment that could affect participation in drug court, including cognitive de cits (e.g., attention and concentration), stress tolerance, and requisite interpersonal skills

Uother psychosocial areas that are likely to affect engagement and participation in drug court services, including criminogenic needs, motivation for treatment, literacy, transportation, and 19w711(sogenic needs,)14()]TJ ET EMC /Scent9D EMC 1 Tw 10.5 4q119I 1 Tf 0sAk /G7 Tc -0.03

6 NDCI: The Professional Services Branch of NADCP

Support Groups

Courts that look to the traditional recommendation that their participants join Alcoholics Anonymous (AA) or Narcotics Anonymous (NA) as part of the support network may need to rethink this process. Since participants in co-occurring disorders programs may not be able to handle stress in a group setting or feel comfortable contributing to a group discussion, AA or NA might not be as appropriate for participants with co-occurring disorders as they are for the traditional drug court participants.

The team should identify appropriate support groups, such as Double Trouble in Recovery, that address both the substance abuse and mental illness. Any support group referrals, such as to 12-step programs like AA, should be preceded by some preparation of the participant as to what he or she will encounter. Programs such as Project Match's Twelve-Step Facilitation are a valuable resource for that preparation. Participants with co-occurring disorders should also be reassured that just listening is acceptable participation.

Working with the Family

The family of the participant can be an invaluable asset and as tiiTD 567,ibto the te,se anf the participa.

Ucentinued engagement and progress in treatment

UStable home plan

Uffstablishment of a support network

Uccompletion of special probation terms such as paying program costs, making restitution, or participating in community service

The goal of adapting expectations within a phase system is to allow ea0 1hogrvice





importance of engaging people with an addiction in long-term substance abuse recovery, people with a serious mental illness bene t most from long-term mental health treatment and rehabilitation addressing the broad range of their needs.

Connecting people with co-occurring disorders to the services they most need is facilitated by knowledge of which treatments research has demonstrated as effective or promising for serious mental illness. Medication is a mainstay in such treatment, but for most people, medication alone is insuf cient. Other services are needed to help them cope more effectively with their illness and to function better in their lives. Table 2 provides a summary of evidence-based and promising treatments for people with serious mental illness, including the focus of each intervention and a summary of how it works. While not every intervention will be available to people in a particular area, many services should be available, and the more needed interventions that an individual can access, the more effective their treatment will be.

magnitude sanctions for dif cult distal behaviors (Marloweto move forward and improve his or her life should be 2012a). reinforced. Furthermorenot making efforts to change

All individuals with a co-occurring substance use and improve life has its own hazards, including excessive psychiatric disorder should have an individualized relapse unstructured time and lack of meaningful roles, which prevention plan developed as part of their treatment. Despite developing such a plan, relapses may occur. A relapse is substance abuse.

an opportunity to reevaluate and modify the participant's line with the need to individualize treatment plans, the treatment plan, including their relapse prevention plan, plan for supervision must also be speci c to the individual's based on an understanding of the possible factors that majorcumstances and needs. Some participants require closer have contributed to the relapse (e.g., increased levels supervision (e.g., more frequent status hearings, home stress or exposure to substances). Life improvements, suralisits by probation, anklet monitoring, or more frequent as working at a new job, resuming an educational programdrug tests) to ensure they are following through on their or developing new relationships, naturally involve changeo-occurring disorders treatment plans and to identify which can open the door for a mild increase or relapse iproblems as soon as they appear. Close supervision is symptoms or a relapse of substance use. However, relapses ecially important in individuals with serious mental can often be prevented or minimized through collaborationillness and co-occurring substance abuse, and it provides on treatment and by developing or modifying a relapsenore opportunities to help individuals get back on their prevention plan as needed. All efforts by the participanpersonal road to recovery.

Intervention	Goals	Additional Information
Medications	U爺ymptom reduction U㎡evention of relapses and hospitalizations	UNEcdications are provided by psychiatrist, other doctor, or other licensed prescriber, and monitored monthly or more often. UAEntipsychotic medications reduce psychotic symptoms and mood swings (mania). UAEntidepressants reduce depression and anxiety. UNEcod stabilizers reduce mood swings (mania). ULEong-acting ('depot') antipsychotic medications are available by injection every 2–4 weeks.





TABLE 2 Evidence-Based & Promising Services for Serious Mental Illness

(continued)

Intervention	Goals	Additional Information
Supported Employment	Ur mpetitive jobs paying competitive wages in the community	Ulfaclude all participants who want to work in the supported employment program. Usta participants with rapid job search without requiring prevocational training. Usta attention to individual preferences regarding preferred type of work and disclosure of mental illness. Ulfavoide follow-along supports after job acquisition to facilitate maintenance. Ulfategrate vocational and clinical services. Ulfavoide counseling on employment bene ts such as SSI, SSDI, and insurance.
Illness Management & Recovery	Ulfipproved capacity for shared decision-making about treatment options Uffieduction of symptom severity & distress Uffieduction of relapses & hospitalizations	Ultrovide psychoeducation about mental illness and its treatment. Ultreach medication adherence strategies. Ultruild social support. Ultreprove self-management of stress and persistent symptoms. Ultrevelop a relapse prevention plan.
Family Psychoeducation	Ulfinproved understanding by family & participant of mental illness Uffieduction of stress & tension in family Ulfinproved monitoring of mental illness & prevention of relapses & hospitalizations Ulficreased support for participant's treatment goals	UNdental health professionals lead single-family or multiple-family group psychoeducation sessions. Undevelop a collaborative relationship between family and treatment team. Underovide psychoeducation about mental illness and its treatment. Underovide psychoeducation and problem solving skills to reduce family stress. Undevelop a relapse prevention plan with the family.
Supported Housing	U爺able, independent housing in community	Uffelp provide access to independent, stable housing regardless of individual's clinical status. Uffet up or work with supports in community to sustain stable housing. Uffeovide practical help with paying bills, apartment maintenance, and solving everyday problems.

TABLE 2 Evidence-Based & Promising Services for Serious Mental Illness (continued)

Intervention	Goals	Additional Information
Cognitive Behavior Therapy	UREeduction of symptom severity or distress related to the following: 34 Hallucinations or delusions 34 Depression or suicidal thinking 34 Anxiety, including PTSD 34 Urges to use substances 34 Criminogenic thinking	Ucconduct 10–25 time-limited individual or group psychotherapy sessions aimed at helping people recognize and change inaccurate thoughts and beliefs that lead to negative feelings and maladaptive behaviors. Uffelp participant evaluate evidence supporting upsetting thoughts, and change self-defeating thinking (such as catastrophizing) to more helpful thinking. Ufeach how to gather more information about upsetting thoughts and beliefs to better evaluate their accuracy. Uffroblem solve how to handle challenging situations not due to inaccurate, self-defeated thinking.
Social Skills Training	Ulfiproved social relationships & independent living skills Ulfivevelopment of healthy & legal leisure & recreational activities Ulfiproved social skills regarding the following: 34 Refusing offers of alcohol or drugs 34 Resolving interpersonal con ict 34 Self-assertion & expression of feelings 34 Job performance	Under the playing to practice appropriate skills based on role playing to practice appropriate skills in social situations. Under eak down complex skills into smaller steps to facilitate gradual shaping of skills through multiple role plays. Under eak down complex skills into smaller steps to facilitate gradual shaping of skills through multiple role plays. Under each community including trips out into the community. Under each case of skills in natural situations.
Case Management	Ulfigagement & retention of individuals in treatment Ulfigenti cation & coordination of treatment & living needs Ulfiddress needs relating to other systems, such as criminal justice, medical, & protective services	Ulfidividual case manager or team helps the participant perform these goals and the tasks needed to accomplish them. Ulfieet regularly with the participant. Ulfivaluate needs, referrals to treatment, and maintenance of outcomes. Ulficordinate services between different treatment providers. Ulfiesist with applying for medical and other bene ts. Ulfiet up more intensive community approaches (e.g., assertive community treatment, intensive case management) for people with multiple hospitalizations or homelessness.





Step 4 **Target Your Case** Management and Community Supervision

Case Management

The philosophy statement of the Case Management of the bene ts of prescribed medication may be Society of America describes case management case management tasks. a means for achieving participant wellness and autonomy through advocacy, communication, Housing

education, identi cation of service resources, and Participants with serious mental illnesses may service facilitation.

multiple team members sharing responsibilities options may be available to such participants and coordinating activities with and on behalf that are not routinely available to the drug court of participants. In an effective drug court, these participant with only a substance use disorder. responsibilities are clearly de ned and understood Beyond arranging for initial housing placement, the by all team members. Fundamentally, helpful case am should continue to monitor housing stability management relies of reamwork to design and oversee the case management plan as well as to implement and revise it as the participants progress Financial Management

ongoing basis.

to consider are described in this step.

Medication Assessment and Management

appointments, Iling prescriptions, and monitoring adherence to the prescribed medication regimen, including observing clients taking medication, are common case management needs. Supporting the participant in articulating his or her response to the medications as well as helping him or her to understand side effects and accept both the costs

require aid to arrange for sober and supportive Case management in the drug court setting involves ousing. Within the mental health system, housing as a component of the case management plan.

Case Management is a major element of engaging the drug court participant is not likely to a participant, planning to address his or her require a designated payee for bene t payments or individual barriers to recovery, and assisting theother nancial resources, assistance with budgeting participant to surmount those barriers and learn for participants with co-occurring disorders is a to negotiate the community support system on an common need. These participants frequently fall at the lowest end of the income spectrum and will be challenged to meet basic needs within For the drug court participant with co-occurring their available resources. Direct assistance with substance use and mental disorders, the case applications for various bene t programs such as management plan is likely to be more complex than Social Security, Medicaid, food stamps, or other a plan for a participant without such co-occurring government low-income assistance programs will disorders. Typical elements that such a plan needs a frequent need. In some cases, the participant may have a mental health services case manager to assist with such needs. Where this is not the case, the drug court team will need to assign one team member or an appropriate responsible

Persons with serious mental illnesses, as well as somerty to perform this role. Many communities having less severe mental health issues, are likelhave implemented SAMHSA's SSI/SSDI Outreach, to require psychiatric assessment for psychotropi&ccess, and Recovery program, (SOAR). This medications. If prescribed, such medications willnational project is designed to expedite access to require monitoring and subsequent reassessmenincome supports aEMC 17_6 142esignedT1_6 1 Tf Assistance with arranging and keeping all

adults who are homeless (or at risk) and have a ment@ase management can be the critical bridge to the more illness or a co-occurring substance use disorder. SOARaditional community health care resources such as the trained case managers can dramatically reduce delaysrietwork of federally quali ed health centers across the nation. receiving SSI/SSDI bene ts.

Community Supervision Vocational and Educational Services Treatment and supervision needs of participants with

One of the most positive contributions of drug courts haso-occurring disorders are beyond those of the general been achieving long-term rehabilitation of participants'drug court population, but much has been learned in employment and educational status. For participants ecent years about effective rehabilitation and supervision. with co-occurring disorders, the services of vocational essons learned include such practices as the following: rehabilitation programs have been invaluable. From The level of supervision should be dictated according employability assessment and identi cation of needed job skills to vocational training or job placement and direct assistance in removing barriers, vocational rehabilitation programs are a major resource that should be tapped. Other lower risk. In addition, supervision of persons with mental community resources, such as high school educational illness should emphasize the development of a helping programs (e.g., GED), vocational programs at community relationship rather than solely a surveillance approach. colleges, and other educational services, are also important the enventions should target specific criminogenic mental-health-supported employment. Case management needs as identi ed through a validated risk and needs resources. Finally some participants may be eligible for is key to the connection and advocacy that will enable many participants to nd meaningful and economically bene cial work.

Primary Health Care

While attention to both substance use and mental health issues will be the initial and primary focus of the case management plan, health and nutrition should not be overlooked. As recently reported in a Dartmouth study:

People with serious mental illnesses are at risk of premature death, largely due to cardiovascular and metabolic disorders associated with obesity, sedentary lifestyle, and smoking. Until very recently, mental health services have neglected prevention and health promotion as a core service need for people with serious mental illnesses. (Bartels & Desilets 2012)

to the assessed risk for recidivism, with more intensive supervision provided to those individuals assessed as being high risk and less intensive supervision for those with

assessment. In the case of a participant assessed as having significant antisocial attitudes and values, cognitive restructuring, which addresses criminal thinking, should be included among the interventions used. If procriminal associates are an identi ed risk factor, efforts should be made to redirect the participant to prosocial peer activities and recover support groups. Basic living needs must be addressed such as income assistance, housing, and employment services. Poor problem solving skills or limited self-regulation skills should be addressed through speci c life skills training.

Ustipervision should take into consideration the abilities of the participant and function within that framework. (Skeem & Petrila, 2004; Skeem, Encandela, & Louden, 2003).

However, applying these practices within the traditional drug court framework can be challenging. Often there is a one-size- ts-all regimen of supervision. Supervision personnel may lack knowledge of the limitations or

Obtaining primary, and in some cases specialist, healthcognitive impairments experienced by persons with certain care with effective referral and follow-up is a verydiagnoses. In addition, the agencies delivering the needed important long-term recovery strategy for participants ervices are generally overburdened and underfunded. with co-occurring disorders. Dental needs should not be the result of such factors is that gaining access to needed neglected since participants with co-occurring disorders frequently have chronic or acute dental pain and related ongoing systemic infections.





Probation of cers or other community supervision agents can be a first line of defense in seeing that this does not happen. As eld agents, they are sometimes the rst to encounter issues that confront participants engaged in the drug court program. Probation of cers are in a position to respond, which can potentially counteract the delays that might adversely affect participants with co-occurring disorders. Therefore it is important for the probation of cer to develop a close working relationship with key treatment providers as a means of assisting participants in accessing treatment as

collaboration is that the efforts of all are directed toward a common goal. This is such an important element of drug courts that it is sixth of the Ten Key Components, which states that "a coordinated strategy governs court response to participant compliance" (Bureau of Justice Assistance & NADCP, 1997). However it is not safe to assume that the goals of each partner to the enterprise are mutually understood and held in common. The individual agencies involved in drug courts frequently see their mission and goals differently. An effective coordinated strategy depends on explicitly clarifying the goals of the drug court. Only from clearly articulated ansharedgoals and collectively agreed-upon objectives and behavior-changing strategies will true collaboration take place. Court goals and objectives should be codi ed in the initial planning effort when a drug court is established, but it must be revisited as new members join the team. In many courts, mental health professionals will be relatively new team members with knowledge to impart and knowledge to learn in order to help the team understand and address participants' co-occurring disorders.

Developing a Common Understanding

In working toward shared goals and a coordinated approach, team members must come to a common understanding of fundamental knowledge. Each member of the team contributes a professional knowledge base from which key pieces must become commonly understood. For this reason interdisciplinary training is an important and ongoing team responsibility. In the press of time, this interdisciplinary training is often sacri ced. While mutual respect and common civility may facilitate a super cial level of team work, only real understanding will support true collaboration and lead to establishing court goals and objectives that work well. Each team member must think through and identify the fundamental knowledge that the

team nee4m [(inter)20(disciplinarB1d Tf 0.016 j1766eu Tw 10.5 0 0 10.5 54 206.306s93ne6 >>BDC BT /T1_2 1 Ti





Educational Resources

Trainings

Ulfaproving Your Drug Court Outcomes for Individuals with Co-Occurring Disorders: www.ndci.org

Web Sites

For up-to-date information on Co-Occurring disorders

USÂMHSA Co-Occurring Disorders: http://www.samhsa.gov/co-occurring/

UNEental Health America, Co-Occurring Disorders: http://www.mentalhealthamerica.net/ go/co-occurring-disorders

For information on nding local support

UBehavioral Health Evolution, Double Trouble in Recovery: http://www.bhevolution.org/public/ doubletroubleinrecovery.page

UNational Alliance on Mental Illness: www.NAMI.org

UNational Association of State Mental Health Program Directors: www.nasmhpd.org

For online articles and publications

URpolicy Research Associates, Publications: http://www.prainc.com/projects-services/ projects-national-centers/publications/

USAMHSA's GAINS Center: http://gainscenter. samhsa.gov/topical resources/cooccurring.asp

Recommended Reading

Center for Substance Abuse Treatment. (2005). Chapter 12: Treatment of co-occurring disorders. In Medication-assisted treatment for opioid addiction in opioid treatment programs, Treatment improvement protocol (TIP) series(ABHS Publication No. SMA 05-4048). Rockville, MD: SAMHSA. Available at http:// www.ncbi.nlm.nih.gov/books/NBK64163/#A83362.

Marlowe, D.B. & Meyer, W.G.. (2011) The drug court judicial benchbooklexandria, VA: National Drug Court Institute. Available online at: http:// www.ndci.org/publications/more-publications/

Screening

Mental Health

UBrief Jail Mental Health Screen

UŒAIN-SS UNÊHSF-III

UMÊNI-Screen

Trauma and PTSD

UPrimary Care PTSD Screen (PC-PTSD)

UPÊSD Checklist—Civilian Version (PCL-C)

Assessment

Diagnosis and Assessment of

Mental Disorders

UNEIIon Clinical Multiaxial Inventory—III (MCMI-III)

UNEnnesota Multiphasic Personality Inventory—2 (MMPI-2)

UStructured Clinical Interview for DSM-IV Axis I Disorders (SCID-I)

Research (Brief Intake Interview, Comprehensive Intake)

URErsonality Assessment Inventory (PAI)

UAssessment of Substance Abuse and Related

Ustressful Life Events Screening Questionnaire—Revised Psychosocial Areas

(SLESQ-R)—This can help identify previous traumaticUA didiction Severity Index—5th Edition (ASI)

events, and the PTSD screens (e.g., PC-PTSD, PCL-Gradul Appraisal of Needs (GAIN-Q and GAINI can then be used to examine the current level of instruments)

impairment related to each of these events. UTExas Christian University, Institute of Behavioral

Cognitive, Intellectual, and Other Areas of **Functional Impairment**

UBeta-III or the WAIS-Abbreviated Scale of Intelligence Assessment of Criminal Risk (WASI)

UNEontreal Cognitive Assessment (MOCA) and the Mini-Mental State Examination, 2nd Edition (MMSE-2)

URFole Functioning Scale—This examines four areas of adult functioning: work productivity, independent living and self-care, immediate social-network relationships, and extended social-network relationships.

Screening for Substance Use Disorders

A number of substance abuse screening instruments are available at nominal cost, free of charge, or are in the public domain. Several evidence-based substance abuse screening instruments are listed below:

UAEddiction Severity Index (ASI)—Alcohol and Drug Abuse sections

UŒAIN-SS

Ustimple Screening Instrument (SSI)

UTÊxas Christian University Drug Screen—II (TCUDS-2)



O

Almquist, L, Dodd, E. (2009): Mental health courts: A guide to research-informed policy and practice. New York: Council of State Governments Justice Center.

Andrews, D.A., & Bonta, J. (2010) he psychology of criminal condu(5th ed.). New Providence, NJ: Matthew Bender & Company.

Andrews, D.A., Bonta, J., & Wormith, J.S. (2006). The recent past and near future of risk and/or need assessment & Delinguency, (52, 7–27.

Andrews, D.A., & Kiessling, J.J. (1980). Program structure and effective correctional practice: A summary of CaVic research. In R. Ross & P. Gendreau (Eds.) Effective Correctional Treatment (pp. 439–463). Toronto: Butterworths.

Baillargeon, J., Penn, J.V., Knight, K., Harzke, A.J., Baillargeon, G., & Becker, E.A. (2010). Risk of reincarceration among prisoners with co-occurring severe mental illness and substance use disorders. Administration and Policy in Mental Heal (4),37 367–374.

Bartels, S., Desilets, R. (2012, Januarie) alth promotion programs for people with serious mental illness Washington, DC: SAMHSA-HRSA Center for Integrated Health Solutions.

Blenko, S., (2001). Research on drug courts: A critical review, 2001 Update. New York: National Center on Addiction and Substance Abuse, Columbia University.

Chandler, R.K., Peters, R.H., Field, G., & Juliano-Bult, D. (2004). Challenges in implementing evidence-based treatment practices for co-occurring disorders in the criminal justice system ehavioral Sciences and the Lav4.231–448.

Grant, B.F., Stinson, F.S., Dawson, D.A., Chou, S.P., Dufour, M.C., Compton, W., Pickering, R.P., & Kaplan, K. (2004). Prevalence and co-occurrence of substance use disorders and independent mood and anxiety disorders: Results from the National





Improving Drug Court Outcomes for Adults





TABLE 3 Keys to Success (continued)

Target Your Case Management & Supervision		
DC Component or Process *	Adaptations & Considerations for Participants with COD †	
Uranitoring Uranitoring Uranitoring Uranitoring Uranitoring Uranitoring Key Components 1, 2, 5, 6, & 7	 People with co-occurring disorders have more complex case management needs than typical drug court participants. Elements of a case management plan may include the following: %Assisting with access to treatment %Medication assessment and management %Housing %Financial management %Vocational & educational services %Primary health care Adjust case management structure to maintain lower participant/staff ratios. Functional limitations may interfere with a participant's ability to comply with the court's requirements. A supportive relationship between a participant and the person providing supervision (probation of cer or other court team member) will facilitate compliance with court requirements. Three qualities are especially important: %Alliance, or achieving a sense of partnership so that the participant perceives that the supervision of cer is committed to his or her success %"Firm but fair" approach, which emphasizes respect and exible consistency %Problem-solving, rather than punitive, approach to noncompliance	
Expand Mechanisms for C	Collaboration	
DC Component or Process *	Adaptations & Considerations for Participants with COD †	
Uccurt team Uccartnerships Key Components 3, 6, 9, & 10	 Standard principles of collaboration in drug courts are especially important as new team members and stakeholders join in to support participants with co-occurring disorders. Potential mental health partners include the following: 4 Crisis intervention teams at local law enforcement 4 Mobile crisis teams 4 Hospital emergency departments & behavioral health units 4 Community mental health treatment & psychiatric rehabilitation agencies 4 Assertive community treatment teams 4 Behavioral health agencies that offer integrated mental health and substance abuse treatment or residential behavioral health treatment 4 Supportive housing providers 4 Advocacy and peer/family support organizations 	

Educate Your Team	
DC Component or Process *	Adaptations & Considerations for Participants with COD †
Ulfaterdisciplinary education Key Component 9	 Interdisciplinary co-occurring disorders education efforts should include personnel who are not members of the court team, especially people who are often the rst points of contact with the justice system for individuals with co-occurring disorders: police of cers, jail personnel, and rst appearance courtroom staff. Team members should understand:

NDCI would like to thank the authors for their contributions to this publication. Introduction, Henry J. Steadman, PhD; Step 1, Roger H. Peters, PhD; Step 2, Hon. Christine Carpenter, JD; Step 3, Kim T. Mueser, PhD; Steps 4 & 5, Norma D. Jaeger, MS; Step 6, Richard B. Gordon, JD; Table 3, Carol Fisler, JD; Hon. Stephen Goss, JD; Eric Olson, LCPC; Fred C. Osher, MD; Chanson D. Noether, MA; and Carolyn Hardin, MPA.

This work was conducted by the National Association of Drug Court Professionals (NADCP) in collaboration with the Substance Abuse and Mental Health Services Administration's (SAMHSA's) GAINS Center. Support for this work came from SAMHSA with additional support for printing from NADCP. The material contained